# COLOROBBIA S.P.A.

HST--004004 - HC 0004-D Lead Free Super Clear Dipping Glaze 1 GI

Revision nr.5 Dated 22/03/2019 Printed on 21/06/2019 Page n. 1 / 9 Replaced revision:4 (Dated 23/06/2017)

Information Sheet						
SECTION 1. Identification of the s	substance/mixture and of the company/undertaking					
1.1. Product identifier						
Code: Product name	HST004004 HC 0004-D Lead Free Super Clear Dipping Glaze 1 Gl					
1.2. Relevant identified uses of the substance	or mixture and uses advised against					
Intended use	Ceramic decoration					
1.3. Details of the supplier of the safety data s	sheet					
Name Full address District and Country e-mail address of the competent person	COLOROBBIA S.P.A. Via Gramsci 14 50056 Montelupo F.no (FI) Italia Tel. +39 0571 7091 Fax +39 0571 709.850					
responsible for the Safety Data Sheet						
1.4. Emergency telephone number						
For urgent inquiries refer to	CAV - Ospedale Pediatrico Bambino Gesù - Roma - tel. +39 06 68593726 Az. Ospedaliera Università Foggia - Foggia - tel. 800183459 Az. Ospedaliera - A. Cardarelli- Napoli- tel. +39 081 7472870 CAV - Policlinico Umberto I- Roma - tel. +39 06 49978000 CAV - Policlinico A. Gemelli - Roma - tel. +39 06 3054343 Az. Ospedaliera Careggi - U.O. Tossicologia Medica - Firenze - tel. +39 055 7947819 CAV - Centro Nazionale di Informazione Tossicologica - Pavia - tel. +39 0382 24444 Ospedale Niguarda Ca' Granda - Milano - tel. +39 02 66101029 Az. ospedaliera Papa Giovanni XXIII - Bergamo - tel. 800883300					

# **SECTION 2. Hazards identification**

# 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

2.2. Label elements	
Hazard pictograms:	
Signal words:	
Hazard statements:	
Precautionary statements:	

# 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

EN

HST--004004 - HC 0004-D Lead Free Super Clear Dipping Glaze 1 GI

Revision nr.5 Dated 22/03/2019 Printed on 21/06/2019 Page n. 2 / 9 Replaced revision:4 (Dated 23/06/2017)

# **SECTION 3. Composition/information on ingredients**

#### **PIGMENT IN MIXTURE**

#### 3.2. Mixtures

Contains:

Identification **x = Conc.** %

Classification 1272/2008 (CLP)

# Frit group 1

Frit group 1		
CAS	65997-18-4	60 ≤ x < 80
EC	266-047-6	
INDEX		
Frit group 4		
CAS	65997-18-4	9≤x< 25
EC	266-047-6	
INDEX		
KAOLIN		
CAS	1332-58-7	1 ≤ x < 5
EC	310-194-1	
INDEX		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# **SECTION 4. First aid measures**

### 4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

## 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

## 4.3. Indication of any immediate medical attention and special treatment needed

in the event of an accident or if you feel unwell, contact a beggar or a poison center

# **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT Choose the most appropriate extinguishing equipment for the specific case. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

# 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE The product is neither flammable nor combustible.

# 5.3. Advice for firefighters

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6.** Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

COLOROBBIA S.P.A. HST--004004 - HC 0004-D Lead Free Super Clear Dipping Glaze 1 GI

Revision nr.5 Dated 22/03/2019 Printed on 21/06/2019 Page n. 3 / 9 Replaced revision:4 (Dated 23/06/2017)

SECTION 6. Accidental release measures .../>>

# 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

## 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

## 7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

## 7.3. Specific end use(s)

Information not available

# SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory References:

ESP	España	INSHT - Límites de exposición profesional para agentes químicos en España 2017
GBR	United Kingdom	EH40/2005 Workplace exposure limits
NLD	Nederland	Databank of the social and Economic Concil of Netherlands (SER) Values, AF 2011:18
POL	Polska	ROZPORZĄDZENIE MINISTRA RODZIN Y, PRAC Y I POLITYKI SPOŁECZNEJ z dnia 12 czerwca 2018 r
	TLV-ACGIH	ACGIH 2018

				Frit	group 1				
Threshold Limit V	alue								
Туре	Country	TWA/8h		STEL/15	min				
	· · ·	mg/m3	ppm	mg/m3	ppm				
TLV-ACGIH		10		-					
Health - Derived n	o-effect leve	el - DNEL / D	DMEL						
	Effec	ts on consu	mers			Effects on v	vorkers		
Route of exposu	ire Acut	e Acu	te	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	syst	emic	local	systemic	local	systemic	local	systemic
Inhalation					-		-		0,004
									mg/m3
									-
				Frit	group 4				
Threshold Limit V	alue								
Туре	Country	TWA/8h		STEL/15	min				
		mg/m3	ppm	mg/m3	ppm				
TLV-ACGIH		10							
Health - Derived n	o-effect leve	I - DNEL / D	DMEL						
	Effec	ts on consu	mers			Effects on v	vorkers		
Route of exposu	ire Acut	e Acu	te	Chronic	Chronic	Acute	Acute	Chronic	Chronic
·	local	syst	emic	local	systemic	local	systemic	local	systemic
Inhalation									0,004
									mg/m3
									0
									systemic

HST--004004 - HC 0004-D Lead Free Super Clear Dipping Glaze 1 GI

# SECTION 8. Exposure controls/personal protection ..../>>

KAOLIN							
Threshold Limit Value							
Туре	Country	TWA/8h		STEL/15	min		
		mg/m3	ppm	mg/m3	ppm		
VLA	ESP	2					
WEL	GBR	2					
OEL	NLD	10					
NDS	POL	10				INHAL	
TLV-ACGIH		1	0,9				

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

#### 8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances. HAND PROTECTION None required. SKIN PROTECTION None required. EYE PROTECTION None required. RESPIRATORY PROTECTION If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a

type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9. Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	suspension	
Colour	Not available	
Odour	odourless	
Odour threshold	Not available	
рН	Not available	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Boiling range	Not available	
Flash point	Not applicable	
Evaporation Rate	Not available	
Flammability of solids and gases	Not available	
Lower inflammability limit	Not applicable	
Upper inflammability limit	Not applicable	
Lower explosive limit	Not applicable	
Upper explosive limit	Not applicable	
Vapour pressure	Not available	
Vapour density	Not available	
Relative density	Not available	
Solubility	insoluble solute	
Partition coefficient: n-octanol/water	Not available	
Auto-ignition temperature	Not applicable	
Decomposition temperature	Not available	
Viscosity	Not available	
Explosive properties	Not available	
Oxidising properties	Not available	

# COLOROBBIA S.P.A.

HST--004004 - HC 0004-D Lead Free Super Clear Dipping Glaze 1 GI

# SECTION 9. Physical and chemical properties .../>>

# 9.2. Other information

 VOC (Directive 2010/75/EC) :
 0

 VOC (volatile carbon) :
 0

# **SECTION 10. Stability and reactivity**

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

## 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

## 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

## 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

## 10.5. Incompatible materials

Information not available

## 10.6. Hazardous decomposition products

Information not available

# **SECTION 11. Toxicological information**

## 11.1. Information on toxicological effects

Information not available

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

# ACUTE TOXICITY

LC50 (Inhalation) of the mixture: LD50 (Oral) of the mixture: LD50 (Dermal) of the mixture: Not classified (no significant component) Not classified (no significant component) Not classified (no significant component)

## SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

#### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

# COLOROBBIA S.P.A.

HST--004004 - HC 0004-D Lead Free Super Clear Dipping Glaze 1 GI

Revision nr.5 Dated 22/03/2019 Printed on 21/06/2019 Page n. 6 / 9 Replaced revision:4 (Dated 23/06/2017)

# SECTION 11. Toxicological information .../>>

# RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

#### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

### CARCINOGENICITY

Does not meet the classification criteria for this hazard class

#### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

# STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

# **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

## 12.1. Toxicity

Information not available

#### 12.2. Persistence and degradability

Information not available

### 12.3. Bioaccumulative potential

Information not available

#### 12.4. Mobility in soil

Information not available

## 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

## 12.6. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.



HST--004004 - HC 0004-D Lead Free Super Clear Dipping Glaze 1 GI

Revision nr.5 Dated 22/03/2019 Printed on 21/06/2019 Page n. 7 / 9 Replaced revision:4 (Dated 23/06/2017)

# **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

# 14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

#### 14.4. Packing group

Not applicable

## 14.5. Environmental hazards

Not applicable

### 14.6. Special precautions for user

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

# SECTION 15. Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 None

None

Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention: None

Substances subject to the Stockholm Convention: None

Healthcare controls Information not available

#### 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

HST--004004 - HC 0004-D Lead Free Super Clear Dipping Glaze 1 GI

# **SECTION 16. Other information**

- LEGEND:
- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

# GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

# Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

# ΕN

# COLOROBBIA S.P.A.

# HST--004004 - HC 0004-D Lead Free Super Clear Dipping Glaze 1 GI

### SECTION 16. Other information .../>>

Frits belonging to various groups: Group 1: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation,

without Pb, Ba, Zn and Cd. Group 2: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation, with Zn and without Pb, Ba or Cd.

Group 3: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation, with Ba and without Pb, Zn or Cd.

Group 4: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation, with Zn and Ba and without Pb or Cd.

Group 5: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation, with Pb and without Cd.

Group 5.1 Lead Bisilicates (0% < PbO ≤69%; SiO2 ≥30%; Al2O3 ≥1%).

Group 5.2 Lead Borosilicates (0-69% PbO, SiO2 >=30%, Al2O3 > = 0,5%, B2O3>0%)

Group 6: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation, with Pb and Zn and/or Ba (0 < PbO ≤69; SiO2 ≥30; Al2O3 ≥1)

Group 7: Ceramic frits containing general elements that are not included in Annex I of Directive 67/548/EEC and with Cd and some of the elements Zn, Ba, and Pb (0 < PbO <69; 0 < CdO <5; SiO2 ≥30; Al2O3 ≥1)

Group 8 – frits containing lead expressed in % PbO and/or Cd expressed in % CdO, containing general elements that are not incleded in annex 1 of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation (Zr, Si, Al, Mg, Ca, K, Na, etc.), that are not included in the ther groups definition.

8.1 : lead monosilicates frits (0,05%<PbO<80%; Si O2 < 30%; Al2O3 < 1%)

8.2 : lead borosilicates frits (0,05%<PbO<80%; Si O2 < 30%; Al2O3 < 0,5%; B2O3 > 0%)

8.3 : lead and cadmium frits (0.05%<PbO<80%; 0%<Cd<5%; SiO2 < 30% o 0,05% PbO<80%; 5% < CdO < 24%)

Group 9 – coloured frits generally containing elements which are not listed in annex 1 of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation (Zr, Si, Al, Mg, Ca, K, Na, etc.), and same metallic oxides listed in annex 1 of Directive 67/548/EEC and Annex VI of 1272/2008 Regulation :

9.1 : frits Ni (0%<NiO<=3,8%)

9.2 : frits Ni (3,8%<NiO<=15%)

9.3 : frits V (0%<V2O5<15,5%)

9.4 : frits Cd (5%<CdO<28%)

Group 10 and subgroups - frits that contain B, Se, Sb and Co.

10.0 : SiO2 >=30%; Al2O3 >=0,5; 0%<B2O3<=34;

10.1 : SiO2 >=30%; Al2O3 >=1%; B2O3 = 0; 0<Se<= 1,5%; o SiO2 >= 30; Al2O3 >= 0,5; 0<B2O3<=34%; 0<Se<=1,5%

10.2: SiO2 >= 30%; Al2O3 >= 1; B2O3=0; O<Sb2O3<=2; OSiO2 >= 30%; Al2O3 >= 0,5; O<B2O3<=34; O<Sb2O3<=2; OSiO2 >= 30%; Al2O3 >= 0,5; O<B2O3<=34; O<Sb2O3<=2; OSiO2 >= 30%; Al2O3 >= 0,5; O<B2O3<=34; O<Sb2O3<=2; OSiO2 >= 30%; Al2O3 >= 0,5; O<Sb2O3<=34; O<Sb2O3<=34; O<Sb2O3<=2; OSiO2 >= 30%; Al2O3 >= 0,5; O<Sb2O3<=34; O<Sb2O3<=2; OSiO2 >= 30%; Al2O3 >= 0,5; O<Sb2O3<=30%; Al2O3 >= 0,5; Al2O3 >= 0,5

10.3 : SiO2 >=30%; Al2O3 >= 1; B2O3=0; 0<Co3O4<=2 o SiO2 >=30%; Al2O3 >= 0,5; 0<B2O3<=34; 0<Co3O4<=2;

Changes to previous review: The following sections were modified: 01 / 03 / 04 / 06 / 08 / 11. ΕN