Vibes Effect Brush-on Glaze

Product specification Vibes Revision Date 30.05.2025

Version 1.0 Print Date 30.05.2025

Material number R904B, R905B Page Page 1 of 13

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Material number : R904B; R905B

Trade name : Vibes Effect Brush-on Glaze

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Ceramic coating suited for firing, for ceramics.

Substance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Milton Bridge Ltd.

Unit 9 Trent Trading Park, Botteslow St

Hanley, Stoke-On-Trent ST1 3LY

Telephone : +441782274229

E-mail address : djb@milton-bridge.co.uk

Responsible/issuing person

1.4 Emergency telephone number

In-Country Number : +(44)-1782 274229

CHEMTREC Global Number : +(1)-703-741-5970 (Call Collect)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Classification according to Directive 67/548/EEC (Dangerous substances directive)

N; R50

| Product specification | | Vibes Effect Brush-on Glaze | |
|-----------------------|--------------|-----------------------------|--------------------|
| | Vibes | Revision Date | 30 .05.2025 |
| Version | 1. 0 | Print Date | 30.05.2025 |
| Material number | R904B, R905B | Page | Page 2 of 13 |

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms (CLP):







Signal word (CLP): WARNING

Hazard Statements (CLP): H302: Harmful if swallowed. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statements (CLP): P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell. P330: Rinse mouth. P391: Collect spillage. P501: Dispose of contents and container in accordance with all local, regional, national and international regulations.

Safety phrases (CLP): S60: This material and its container must be disposed of as harzardous waste. S61: Avoid release to the environment. Refer to special instructions/safety data sheets.

2.3 Other hazards

Other hazards not contributing to the classification: None to our knowledge.

This substance/mixture does not meet the PBT criteria of REACH registration, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature : glass/frit, silicatic material

Hazardous components

| Chemical Name | CAS-No. EC-No. | Classification (REGULATION (EC) No | Concentration (%) |
|---------------|---------------------|---------------------------------------|-------------------|
| | Registration number | 1272/2008) | • |

according to Regulation (EC) No. 1907/2006

| Product specification | | Vibes Effect Brush-on Glaze | |
|-----------------------|--------------|-----------------------------|--------------------|
| | Vibes | Revision Date | 30. 05.2025 |
| Version | 1. 0 | Print Date | 30.05.2025 |
| Material number | R904B, R905B | Page | Page 3 of 13 |

| Substances with a workplace exposure limit : | | | | |
|--|------------|-----------|--|-------|
| Frits ,Chemicals | 65997-18-4 | 266-047-6 | | < 100 |
| Basic Copper Carbonate | 12069-69-1 | 235-113-6 | Acute Tox.4 (Oral) H302 Aquatic Acute 1: H400 | < 4 |
| | | | Aquatic Chronic 1: H410 | |

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General advice : Do not leave the victim unattended.

If inhaled : Remove person to fresh air and keep comfortable for breathing. If

unconscious place in recovery position and seek medical advice.

Respiratory problems: consult a doctor/medical service.

In case of skin contact : Take off contaminated clothing and shoes immediately.

Wash off with soap and plenty of water.

In case of eye contact : Flush eyes with water as a precaution.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water. Call Poison Information Centre

Consult a doctor/medical service if you feel unwell.

Ingestion of large quantities: immediately to hospital. Rinse mouth.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : None known. Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

according to Regulation (EC) No. 1907/2006

| Product specification | | Vibes Effect Brush-on Glaze | | |
|-----------------------|--------------|-----------------------------|--------------------|--|
| | Vibes | Revision Date | 30 .05.2025 | |
| Version | 1. 0 | Print Date | 30.05.2025 | |
| Material number | R904B, R905B | Page | Page 4 of 13 | |

Suitable extinguishing media: Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: In the event of fire, the product may emit harmful or toxic fumes.

5.3 Advice for firefighters

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus.

Further information : Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use Personal Protective equipment

Ensure adequate ventilation

Evacuate personnel to safe areas

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent soil

and water pollution. Prevent spreading to sewers

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

| Product specification | | Vibes Effect Brush-on Glaze | | |
|-----------------------|--------------|-----------------------------|--------------------|--|
| | Vibes | Revision Date | 30 .05.2025 | |
| Version | 1. 0 | Print Date | 30.05.2025 | |
| Material number | R904B, R905B | Page | Page 5 of 13 | |

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

No special handling advice required.

Smoking, eating and drinking should be prohibited in the

application area.

Store in a dry area away from foodstuffs.

Advice on protection against

fire and explosion

: Normal measures for preventative fire protection.

Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply

with the technological safety standards.

Advice on common storage : No special restrictions on storage with other products.

No materials to be especially mentioned.

Other data : Keep in a dry place. No decomposition if stored and applied

as directed.

7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this

substance/mixture.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Basic Copper Carbonate (12069-69-1)

PNEC (Water)

PNEC aqua (freshwater) – 7.8µg/l

PNEC agua (marine water) – 5.2µg/l

PNEC (Sediment)

PNEC sediment (freshwater) - 87mg/kg dwt

PNEC sediment (marine water) - 676mg/kg dwt

PNEC (Soil)

PNEC soil - 65mg/kg dwt

PNEC (STP)

PNEC sewage treatment plant 230µg/l

according to Regulation (EC) No. 1907/2006

Vibes Effect Brush-on Glaze

Product specification Vibes Revision Date 30.05.2025

Version 1.0 Print Date 30.05.2025

Material number R904B, R905B Page Page 6 of 13

8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses

Hand protection

Remarks : For prolonged or repeated contact use protective gloves.

Skin and body protection : Protective suit

Respiratory protection : No personal respiratory protective equipment normally

required.

Protective measures : Wear suitable protective equipment

When using do not eat, drink or smoke.

Environmental exposure controls

General advice : No special environmental precautions required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : Liquid

Colour : Various

Odour : Odourless

Odour Threshold : Not applicable

pH : No data available

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : No data available

Burning rate : No data available

Auto-ignition temperature : No data available
Upper explosion limit : No data available

according to Regulation (EC) No. 1907/2006

Vibes Effect Brush-on Glaze

Product specificationVibesRevision Date30.05.2025Version1.0Print Date30.05.2025Material numberR904B, R905BPagePage 7 of 13

Lower explosion limit : No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Bulk density : No data available

Solubility(ies)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

: Not applicable

Thermal decomposition : No data available

Viscosity

Viscosity, dynamic : Not applicable

Explosive properties : No data available

9.2 Other information

Refractive index : Not applicable

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under recommended storage conditions. No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

according to Regulation (EC) No. 1907/2006

Vibes Effect Brush-on Glaze

Product specificationVibesRevision Date30.05.2025Version1.0Print Date30.05.2025Material numberR904B, R905BPagePage 8 of 13

Hazardous decomposition

: Stable under normal conditions.

products

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered

as being a skin irritant. The material is not a primary irritant but, as with any abrasive powder, it may give rise to minor irritation. Some cobalt compounds have been shown to

cause dermatitis and sensitisation, but is unlikely with our product

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Remarks: May cause irritation and inflammation.

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Harmful by inhalation and if swallowed.

Product:

Remarks: No data available

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

according to Regulation (EC) No. 1907/2006

Vibes Effect Brush-on Glaze

Product specificationVibesRevision Date30.05.2025Version1.0Print Date30.05.2025Material numberR904B, R905BPagePage 9 of 13

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: No data available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Product is slightly water pollutive

Chronic aquatic toxicity : No data available

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Components:

Biodegradability : Remarks: No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil

Product:

Components:

Distribution among

according to Regulation (EC) No. 1907/2006

Vibes Effect Brush-on Glaze

Product specificationVibesRevision Date30.05.2025Version1.0Print Date30.05.2025Material numberR904B, R905BPagePage 10 of 13

environmental compartments : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological

information

: Remarks: No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Dispose of in accordance with the current Waste Disposal

Regulations. (for UK special Waste Regulations 1996).

Contaminated packaging : Empty remaining contents.

Empty containers should be taken to an approved waste

handling site for recycling or disposal.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : No information available.

according to Regulation (EC) No. 1907/2006

| Product specification | | Vibes Effect Brush-on Glaze | |
|-----------------------|--------------|-----------------------------|--------------------|
| | Vibes | Revision Date | 30 .05.2025 |
| Version | 1. 0 | Print Date | 30.05.2025 |
| Material number | R904B, R905B | Page | Page 11 of 13 |

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Ship type : N/A Pollution category : N/A

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

: Neither banned nor restricted International Chemical Weapons Convention (CWC) Schedules of Toxic Chemicals and Precursors : Neither banned nor restricted REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) Regulation (EC) No 649/2012 of the European : Neither banned nor restricted Parliament and the Council concerning the export and import of dangerous chemicals : Neither banned nor restricted REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Neither banned nor restricted REACH - List of substances subject to authorisation (Annex XIV) : Neither banned nor restricted Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Neither banned nor restricted Regulation (EC) No 850/2004 on persistent organic pollutants

according to Regulation (EC) No. 1907/2006

| | | Vibes Effect Brush-on Glaze | | |
|-----------------------|--------------|-----------------------------|--------------------|--|
| Product specification | Vibes | Revision Date | 30. 05.2025 | |
| Version | 1. 0 | Print Date | 30.05.2025 | |
| Material number | R904B, R905B | Page | Page 12 of 13 | |

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

The components of this product are reported in the following inventories:

REACH : On the inventory, or in compliance with the inventory

CH INV : Not in compliance with the inventory

TSCA : Not On TSCA Inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

AICS : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TW INV : Not in compliance with the inventory

MY INV : Not in compliance with the inventory

TR INV : Not in compliance with the inventory

| | | Vibes Effect Brush-on Glaze | | |
|-----------------------|--------------|-----------------------------|--------------------|--|
| Product specification | Vibes | Revision Date | 30 .05.2025 | |
| Version | 1. 0 | Print Date | 30.05.2025 | |
| Material number | R904B, R905B | Page | Page 13 of 13 | |

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA), CH INV (Switzerland), MY INV (Malaysia), TR INV (Turkey), TW INV (Taiwan)

15.2 Chemical Safety Assessment

Not applicable

SECTION 16: OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.